

# American Journal of Physiology- Cell Physiology

No. 1. JANUARY 2000

## INVITED REVIEW

Hypothesis: do voltage-gated  $H^+$  channels in alveolar epithelial cells contribute to  $CO_2$  elimination by the lung?

*T. E. DeCoursey*

C1

---

## EDITORIAL FOCUS

An ion transporter involved in congenital deafness. Focus on "Human pendrin expressed in *Xenopus laevis* oocytes mediates chloride/formate exchange"

*J. Cuppoletti*

C11

Focus on "Rapid entry of bitter and sweet tastants into liposomes and taste cells: implications for signal transduction"

*J. A. DeSimone*

C13

---

Rapid entry of bitter and sweet tastants into liposomes and taste cells: implications for signal transduction

*I. Peri, H. Mamrud-Brains, S. Rodin, V. Krizhanovsky, Y. Shai, S. Nir, and M. Naim*

C17

Retardation of cation channel deactivation by mitochondrial dysfunction in adrenal medullary cells

*M. Inoue, N. Fujishiro, and I. Imanaga*

C26

Lysophosphatidic acid rapidly induces protein kinase D activation through a pertussis toxin-sensitive pathway

*L. Paolucci, J. Sinnott-Smith, and E. Rozengurt*

C33

Temperature-sensitive gating of cation current in guinea pig ileal muscle activated by hyperpolarization

*H. Yanagida, R. Inoue, M. Tanaka, and Y. Ito*

C40

Modulation of CFTR gene expression in HT-29 cells by extracellular hyperosmolarity

*M. Baudouin-Legros, F. Brouillard, M. Cougnon, D. Tondelier, T. Leclerc, and A. Edelman*

C49

Rho kinase inhibitor HA-1077 prevents Rho-mediated myosin phosphatase inhibition in smooth muscle cells

*H. Nagumo, Y. Sasaki, Y. Ono, H. Okamoto, M. Seto, and Y. Takuwa*

C57

Tyrosine kinase inhibitors reduce bcl-2 expression and induce apoptosis in androgen-dependent cells

*T. Ohigashi, M. Ueno, S. Nonaka, T. Nakanoma, Y. Furukawa, N. Deguchi, and M. Murai*

C66

Age-dependent response of the electrocardiogram to  $K^+$  channel blockers in mice

*L. Wang, S. Swirp, and H. Duff*

C73

High glucose and insulin inhibit VSMC MKP-1 expression by blocking iNOS via p38 MAPK activation

*N. Begum and L. Ragolia*

C81

Induction of heme oxygenase-1 by hypoxia and free radicals in human dermal fibroblasts

*M. V. Panchenko, H. W. Farber, and J. H. Korn*

C92

Hyperosmolality induces activation of cPKC and nPKC, a requirement for ERK1/2 activation in NIH/3T3 cells

*S. Zhuang, S.-I. Hirai, and S. Ohno*

C102

Characterization and regulation of E2F activity during Caco-2 cell differentiation

*Q. Ding, Q. Wang, Z. Dong, and B. M. Evers*

C110

Expression of antioxidant enzymes in human inflammatory cells <i>P. Pietarinen-Runtti, E. Lakari, K. O. Raivio, and V. L. Kinnula</i>	C118
Characteristics of phosphate-induced $\text{Ca}^{2+}$ efflux from the SR in mechanically skinned rat skeletal muscle fibers <i>A. M. Duke and D. S. Steele</i>	C126
Effects of NO donors and synthase agonists on endothelial cell uptake of L-Arg and superoxide production <i>A. A. Ogonowski, W. H. Kaesemeyer, L. Jin, V. Ganapathy, F. H. Leibach, and R. W. Caldwell</i>	C136
Hypoxic preconditioning protects cultured neurons against hypoxic stress via $\text{TNF-}\alpha$ and ceramide <i>J. Liu, I. Ginis, M. Spatz, and J. M. Hallenbeck</i>	C144
Identification of G protein-coupled signaling pathways in cardiac fibroblasts: cross talk between $\text{G}_q$ and $\text{G}_s$ <i>J. G. Meszaros, A. M. Gonzalez, Y. Endo-Mochizuki, S. Villegas, F. Villarreal, and L. L. Brunton</i>	C154
$\text{Na}^+$ entry via store-operated channels modulates $\text{Ca}^{2+}$ signaling in arterial myocytes <i>A. Arnon, J. M. Hamlyn, and M. P. Blaustein</i>	C163
Hepatocyte growth factor affects satellite cell activation and differentiation in regenerating skeletal muscle <i>K. J. Miller, D. Thaloer, S. Matteson, and G. K. Pavlath</i>	C174
Colonic H-K-ATPase $\alpha$ - and $\beta$ -subunits express ouabain-insensitive H-K-ATPase <i>P. Sangan, S. Thevananther, S. Sangan, V. M. Rajendran, and H. J. Binder</i>	C182
Differential distribution of $\text{ER}\alpha$ and $\text{ER}\beta$ mRNA in intrauterine tissues of the pregnant rhesus monkey <i>W. X. Wu, X. H. Ma, G. C. S. Smith, and P. W. Nathanielsz</i>	C190
Characterization of decorin mRNA in pregnant intrauterine tissues of the ewe and regulation by steroids <i>W. X. Wu, Q. Zhang, N. Unno, J. B. Derks, and P. W. Nathanielsz</i>	C199

---

## RAPID COMMUNICATION

Human pendrin expressed in <i>Xenopus laevis</i> oocytes mediates chloride/formate exchange <i>D. A. Scott and L. P. Karniski</i>	C207
--	------

---

## CORRIGENDA

Secretagogue response of goblet cells and columnar cells in human colonic crypts <i>D. R. Halm and S. T. Halm</i>	C212
--	------

## No. 2. FEBRUARY 2000

### INVITED REVIEW

Calcium sparks in smooth muscle <i>J. H. Jagger, V. A. Porter, W. J. Lederer, and M. T. Nelson</i>	C235
---	------

---

### EDITORIAL FOCUS

Focus on "Sodium 4-phenylbutyrate downregulates Hsc70: implications for intracellular trafficking of $\Delta\text{F508-CFTR}$ " <i>N. A. Bradbury</i>	C257
Sodium 4-phenylbutyrate downregulates Hsc70: implications for intracellular trafficking of $\Delta\text{F508-CFTR}$ <i>R. C. Rubenstein and P. L. Zeitlin</i>	C259
Regulation of intestinal vitamin $\text{B}_2$ absorption. Focus on "Riboflavin uptake by human-derived colonic epithelial NCM460 cells" <i>U. Sundaram</i>	C268

Riboflavin uptake by human-derived colonic epithelial NCM460 cells <i>H. M. Said, A. Ortiz, M. P. Moyer, and N. Yanagawa</i>	C270
<hr/>	
Charged residues in the M2 region of $\alpha$ -hENaC play a role in channel conductance <i>A. L. B. Langlois, B. Berdiev, H.-L. Ji, K. Keyser, B. A. Stanton, and D. J. Benos</i>	C277
Hyperbaric oxygen downregulates ICAM-1 expression induced by hypoxia and hypoglycemia: the role of NOS <i>J. A. Buras, G. L. Stahl, K. K. H. Svoboda, and W. R. Reenstra</i>	C292
Role of $K^+$ channel expression in polyamine-dependent intestinal epithelial cell migration <i>J.-Y. Wang, J. Wang, V. A. Golovina, L. Li, O. Platoshyn, and J. X.-J. Yuan</i>	C303
Differentiation of human fetal osteoblastic cells and gap junctional intercellular communication <i>H. J. Donahue, Z. Li, Z. Zhou, and C. E. Yellowley</i>	C315
Nuclear redistribution of tonicity-responsive enhancer binding protein requires proteasome activity <i>S. K. Woo, D. Maouyo, J. S. Handler, and H. M. Kwon</i>	C323
Inhibition of ornithine decarboxylase induces STAT3 tyrosine phosphorylation and DNA binding in IEC-6 cells <i>L. M. Pfeffer, C. H. Yang, S. R. Pfeffer, A. Murti, S. A. McCormack, and L. R. Johnson</i>	C331
Cyclic nucleotide-gated cation channels mediate sodium and calcium influx in rat colon <i>W. Qiu, B. Lee, M. Lancaster, W. Xu, S. Leung, and S. E. Guggino</i>	C336
CCK stimulates <i>mob</i> -1 expression and NF- $\kappa$ B activation via protein kinase C and intracellular $Ca^{2+}$ <i>B. Han and C. D. Logsdon</i>	C344
Purinergic activation of spontaneous transient outward currents in guinea pig taenia colonic myocytes <i>I. D. Kong, S. D. Koh, and K. M. Sanders</i>	C352
Endoplasmic reticulum $Ca^{2+}$ -ATPase inhibitors stimulate membrane guanylate cyclase in pancreatic acinar cells <i>A. S. Gukovskaya, S. Gukovsky, and S. J. Pandol</i>	C363
Ras signaling in the inner medullary cell response to urea and NaCl <i>W. Tian, G. R. Boss, and D. M. Cohen</i>	C372
K-Cl cotransport in vascular smooth muscle and erythrocytes: possible implication in vasodilation <i>N. C. Adragna, R. E. White, S. N. Orlov, and P. K. Lauf</i>	C381
Smokeless tobacco potentiates VIP-induced DNA synthesis and inactivates NEP 24.11 in oral keratinocytes <i>I. Rubinstein</i>	C391
RPTP $\mu$ and protein tyrosine phosphorylation regulate $K^+$ channel mRNA expression in adult cardiac myocytes <i>K. M. Hershman and E. S. Levitan</i>	C397
Pinacidil suppresses contractility and preserves energy but glibenclamide has no effect during muscle fatigue <i>W. Matar, T. M. Nosek, D. Wong, and J.-M. Renaud</i>	C404
PKA holoenzyme is functionally coupled to CFTR by AKAPs <i>P. Huang, K. Trotter, R. C. Boucher, S. L. Milgram, and M. J. Stutts</i>	C417
$Ca^{2+}$ activation of heart mitochondrial oxidative phosphorylation: role of the $F_0F_1$ -ATPase <i>P. R. Territo, V. K. Mootha, S. A. French, and R. S. Balaban</i>	C423
cAMP-activated anion conductance is associated with expression of CFTR in neonatal mouse cardiac myocytes <i>A. S. Lader, Y. Wang, G. R. Jackson, Jr., S. C. Borkan, and H. F. Cantiello</i>	C436

INVITED REVIEW

The I $\kappa$ B/NF- $\kappa$ B system: a key determinant of mucosal inflammation and protection <i>C. Jobin and R. B. Sartor</i>	C451
<hr/>	
TNF- $\alpha$ potentiates the ion secretion induced by muscarinic receptor activation in HT29cl.19A cells <i>J. C. J. Oprins, H. P. Meijer, and J. A. Groot</i>	C463
Stretch-induced activation of Ca <sup>2+</sup> -activated K <sup>+</sup> channels in mouse skeletal muscle fibers <i>N. Mallouk and B. Allard</i>	C473
Polyamine depletion delays apoptosis of rat intestinal epithelial cells <i>R. M. Ray, M. J. Viar, Q. Yuan, and L. R. Johnson</i>	C480
Characterization of the synthesis and release of catecholamine in the rat carotid body in vitro <i>I. Vicario, R. Rigual, A. Obeso, and C. Gonzalez</i>	C490
ERK signaling mediates the induction of inflammatory cytokines by bufalin in human monocytic cells <i>M. Kurosawa, S. Numazawa, Y. Tani, and T. Yoshida</i>	C500
Reversal of sexual dimorphism in splenic T lymphocyte responses after trauma-hemorrhage with aging <i>V. Kahlke, M. K. Angele, M. G. Schwacha, A. Ayala, W. G. Cioffi, K. I. Bland, and I. H. Chaudry</i>	C509
Effect of lactate on depolarization-induced Ca <sup>2+</sup> release in mechanically skinned skeletal muscle fibers <i>T. L. Dutka and G. D. Lamb</i>	C517
Functional significance of human trp1 and trp3 in store-operated Ca <sup>2+</sup> entry in HEK-293 cells <i>X. Wu, G. Babnigg, and M. L. Villereal</i>	C526
Inhibition of CaM kinase II activation and force maintenance by KN-93 in arterial smooth muscle <i>A. Rokolya and H. A. Singer</i>	C537
Voltage-dependent stimulation of the Na <sup>+</sup> -K <sup>+</sup> pump by insulin in rabbit cardiac myocytes <i>P. S. Hansen, K. A. Buhagiar, D. F. Gray, and H. H. Rasmussen</i>	C546
Phosphatidylcholine participates in the interaction between macrophages and lymphocytes <i>A. Nishiyama-Naruke and R. Curi</i>	C554
Sensitivity of myometrium to CGRP varies during mouse estrous cycle and in response to progesterone <i>M. Naghashpour and G. Dahl</i>	C561
Pharmacological activation of cloned intermediate- and small-conductance Ca <sup>2+</sup> -activated K <sup>+</sup> channels <i>C. A. Syme, A. C. Gerlach, A. K. Singh, and D. C. Devor</i>	C570
Effects of $\beta_2$ -agonist clenbuterol on biochemical and contractile properties of unloaded soleus fibers of rat <i>C. Ricart-Firinga, L. Stevens, M.-H. Canu, T. L. Nemirovskaya, and Y. Mounier</i>	C582
A myosin phosphatase targeting subunit isoform transition defines a smooth muscle developmental phenotypic switch <i>W. P. Dirksen, F. Vladic, and S. A. Fisher</i>	C589
Mechanisms of P <sub>i</sub> regulation of the skeletal muscle SR Ca <sup>2+</sup> release channel <i>E. M. Balog, B. R. Fruen, P. K. Kane, and C. F. Louis</i>	C601
Lysophosphatidic acid and sphingosine 1-phosphate stimulate endothelial cell wound healing <i>H. Lee, E. J. Goetzl, and S. An</i>	C612

## SPECIAL COMMUNICATION

HSV-1 amplicon vectors are a highly efficient gene delivery system for skeletal muscle myoblasts and myotubes

Y. Wang, C. Fraefel, F. Protasi, R. A. Moore, J. D. Fessenden, I. N. Pessah, A. DiFrancesco, X. Breakefield, and P. D. Allen

C619

## No. 4. APRIL 2000

### EDITORIAL

"It's ugly, but there it is. . ."

K. E. Barrett

C627

Age- and tissue-specific induction of NHE3 by glucocorticoids in the rat small intestine

P. R. Kiela, Y. S. Guner, H. Xu, J. F. Collins, and F. K. Ghishan

C629

Potential of rat brain sodium channel currents by PKA in *Xenopus* oocytes involves the I-II linker

R. D. Smith and A. L. Goldin

C638

Eicosatetraenoic and eicosatrienoic acids, lipoxygenase inhibitors, block meiosis via antioxidant action

M. Takami, S. L. Preston, and H. R. Behrman

C646

Alternatively spliced isoforms of the rat eye sodium/calcium+potassium exchanger NCKX1

S. Poon, S. Leach, X.-F. Li, J. E. Tucker, P. P. M. Schnetkamp, and J. Lytton

C651

Interaction of PIP<sub>2</sub> with the XIP region of the cardiac Na/Ca exchanger

Z. He, S. Feng, Q. Tong, D. W. Hilgemann, and K. D. Philipson

C661

Ca<sup>2+</sup>-dependent activation of Cl<sup>-</sup> currents in *Xenopus* oocytes is modulated by voltage

N. Callamaras and I. Parker

C667

Malignant gliomas display altered pH regulation by NHE1 compared with nontransformed astrocytes

L. A. McLean, J. Roscoe, N. K. Jørgensen, F. A. Gorin, and P. M. Cala

C676

Involvement of estrogen receptors  $\alpha$  and  $\beta$  in the regulation of cervical permeability

G. I. Gorodeski and D. Pal

C689

EGF stimulates gastrin promoter through activation of Sp1 kinase activity

S. Chupreta, M. Du, A. Todisco, and J. L. Merchant

C697

MHC polymorphism in rodent plantaris muscle: effects of mechanical overload and hypothyroidism

V. J. Caiozzo, F. Haddad, M. Baker, S. McCue, and K. M. Baldwin

C709

Phosphorylation of caldesmon by ERK MAP kinases in smooth muscle

J. C. Hedges, B. C. Oxhorn, M. Carty, L. P. Adam, I. A. Yamboliev, and W. T. Gerthoffer

C718

Interaction of  $\alpha$ - and  $\beta$ -subunits in native H-K-ATPase and cultured cells transfected with H-K-ATPase  $\beta$ -subunit

C. T. Okamoto, D. C. Chow, and J. G. Forte

C727

Cellular basis for contractile dysfunction in the diaphragm from a rabbit infarct model of heart failure

N. G. MacFarlane, G. M. Darnley, and G. L. Smith

C739

Regulation of mitochondrial respiration in heart cells analyzed by reaction-diffusion model of energy transfer

M. Vendelin, O. Kongas, and V. Saks

C747

Proliferative activity and tumorigenic conversion: impact on cellular metabolism in 3-D culture

L. A. Kunz-Schughart, J. Doetsch, W. Mueller-Klieser, and K. Groebe

C765

Mxi2, a splice variant of p38 stress-activated kinase, is a distal nephron protein regulated with kidney ischemia

L. Faccio, A. Chen, C. Fusco, S. Martinotti, J. V. Bonventre, and A. S. Zervos

C781

- Aquaporin 2 is a vasopressin-independent, constitutive apical membrane protein in rat vas deferens  
A. L. Stevens, S. Breton, C. E. Gustafson, R. Bouley, R. D. Nelson, D. E. Kohan, and D. Brown C791
- Sorting of metabolic pathway flux by the plasma membrane in cerebrovascular smooth muscle cells  
P. G. Lloyd and C. D. Hardin C803
- Folate deficiency reduces the GPI-anchored folate-binding protein in rat renal tubules  
M. da Costa, S. P. Rothenberg, E. Sadasivan, A. Regec, and L. Qian C812
- Coordinate expression of secretory phospholipase A<sub>2</sub> and cyclooxygenase-2 in activated human keratinocytes  
K. E. Rys-Sikora, R. L. Konger, J. W. Schoggins, R. Malaviya, and A. P. Pentland C822
- Gender-specific reduction in contractility and [Ca<sup>2+</sup>]<sub>i</sub> in vascular smooth muscle cells of female rat  
J. G. Murphy and R. A. Khalil C834
- Cellular mechanisms involved in carotid body inhibition produced by atrial natriuretic peptide  
L. He, B. Dinger, and S. Fidone C845
- VEGF expression in an osteoblast-like cell line is regulated by a hypoxia response mechanism  
D. S. Steinbrech, B. J. Mehrara, P. B. Saadeh, J. A. Greenwald, J. A. Spector, G. K. Gittes, and M. T. Longaker C853

## No. 5. MAY 2000

### EDITORIAL

- Publishing in the journals of the APS: Why are authors charged fees?  
D. J. Benos, L. G. Navar, and M. Reich C861

### EDITORIAL FOCUS

- KChAP: a novel chaperone for specific K<sup>+</sup> channels key to repolarization of the cardiac action potential. Focus on "KChAP as a chaperone for specific K<sup>+</sup> channels"*  
H. Abriel, H. Motoike, and R. S. Kass C863

- Inhibition of phosphatidylinositol 3-kinase does not alter forskolin-stimulated Cl<sup>-</sup> secretion by T84 cells  
J. L. Dickson, T. D. Conner, and T. W. Ecay C865
- Chlorpromazine modulates the morphological macro- and microstructure of endothelial cells  
I. S. Hueck, H. G. Hollweg, G. W. Schmid-Schönbein, and G. M. Artmann C873
- Ca<sup>2+</sup> and p38 MAP kinase regulate mAChR-mediated c-Fos expression in avian exocrine cells  
J.-P. Hildebrandt and A. Prowald C879
- Ovine male genital duct epithelial cells differentiate in vitro and express functional CFTR and ENaC  
M. Bertog, D. J. Smith, A. Bielfeld-Ackermann, J. Bassett, D. J. P. Ferguson, C. Korbmacher, and A. Harris C885
- Mechanical strain memory in airway smooth muscle  
W.-L. Chan, J. Silberstein, and C.-M. Hai C895
- Vasopressin and PGE<sub>2</sub> regulate activity of apical 70 pS K<sup>+</sup> channel in thick ascending limb of rat kidney  
H. J. Liu, Y. Wei, N. R. Ferri, A. Nasjletti, and W. H. Wang C905
- Localization of two distinct type III phosphatidylinositol 4-kinase enzyme mRNAs in the rat  
A. Zólyomi, X. Zhao, G. J. Downing, and T. Balla C914



Monocarboxylic acid transporters, MCT1 and MCT2, in cortical astrocytes in vitro and in vivo <i>R. Hanu, M. McKenna, A. O'Neill, W. G. Resneck, and R. J. Bloch</i>	C921
KChAP as a chaperone for specific K <sup>+</sup> channels <i>Y. A. Kuryshv, T. I. Gud, A. M. Brown, and B. A. Wible</i>	C931
NO increases permeability of cultured human cervical epithelia by cGMP-mediated increase in G-actin <i>G. I. Gorodeski</i>	C942
Hypertonic perfusion inhibits intracellular Na and Ca accumulation in hypoxic myocardium <i>H. S. Ho, H. Liu, P. M. Cala, and S. E. Anderson</i>	C953
Probing the extracellular release site of the plasma membrane calcium pump <i>W. Xu, B. J. Wilson, L. Huang, E. L. Parkinson, B. J. F. Hill, and M. A. Milanick</i>	C965
pH heterogeneity at intracellular and extracellular plasma membrane sites in HT29-C1 cell monolayers <i>D. Maouyo, S. Chu, and M. H. Montrose</i>	C973
Apoptosis in human cultured trophoblasts is enhanced by hypoxia and diminished by epidermal growth factor <i>R. Levy, S. D. Smith, K. Chandler, Y. Sadovsky, and D. M. Nelson</i>	C982
Ca <sup>2+</sup> regulates fluid shear-induced cytoskeletal reorganization and gene expression in osteoblasts <i>N. X. Chen, K. D. Ryder, F. M. Pavalko, C. H. Turner, D. B. Burr, J. Qiu, and R. L. Duncan</i>	C989
IP <sub>3</sub> receptors, IP <sub>3</sub> transients, and nucleus-associated Ca <sup>2+</sup> signals in cultured skeletal muscle <i>E. Jaimovich, R. Reyes, J. L. Liberona, and J. A. Powell</i>	C998
Normalization of hyperosmotic-induced inositol uptake by renal and endothelial cells is regulated by NF-κB <i>M. A. Yorek, J. A. Dunlap, W. Liu, and W. L. Lowe, Jr.</i>	C1011
Structure, function, and genomic organization of human Na <sup>+</sup> -dependent high-affinity dicarboxylate transporter <i>H. Wang, Y.-J. Fei, R. Kekuda, T. L. Yang-Feng, L. D. Devoe, F. H. Leibach, P. D. Prasad, and V. Ganapathy</i>	C1019
Pharmacology and modulation of K <sub>ATP</sub> channels by protein kinase C and phosphatases in gallbladder smooth muscle <i>T. A. Firth, G. M. Mawe, and M. T. Nelson</i>	C1031
Impermeability of the GIRK2 weaver channel to divalent cations <i>P. Hou, A. Di, P. Huang, C. B. Hansen, and D. J. Nelson</i>	C1038
Kinase regulation of hENaC mediated through a region in the COOH-terminal portion of the α-subunit <i>K. A. Volk, R. F. Husted, P. M. Snyder, and J. B. Stokes</i>	C1047

---

## SPECIAL COMMUNICATION

LabPatch, an acquisition and analysis program for patch-clamp electrophysiology <i>T. Robinson, L. Thomsen, and J. D. Huizinga</i>	C1055
---	-------

No. 6. JUNE 2000

## INVITED REVIEW

Properties of cytotoxic peptide-formed ion channels <i>J. I. Kourie and A. A. Shorthouse</i>	C1063
---	-------

---

Viscosity and solute dependence of F-actin translocation by rabbit skeletal heavy meromyosin <i>P. B. Chase, Y. Chen, K. L. Kulin, and T. L. Daniel</i>	C1088
--	-------

- Two distinct mechanisms of nitric oxide-mediated neuronal cell death show thiol dependency  
*A. J. Gow, Q. Chen, M. Gole, M. Themistocleous, V. M.-Y. Lee, and H. Ischiropoulos* C11099
- Skeletal muscle function and water permeability in aquaporin-4 deficient mice  
*B. Yang, J.-M. Verbavatz, Y. Song, L. Vetrivel, G. Manley, W.-M. Kao, T. Ma, and A. S. Verkman* C11108
- Pyrrolidine dithiocarbamate-induced apoptosis depends on cell type, density, and the presence of  $\text{Cu}^{2+}$  and  $\text{Zn}^{2+}$   
*W. Erl, C. Weber, and G. K. Hansson* C11116
- Mechanical strain inhibits expression of osteoclast differentiation factor by murine stromal cells  
*J. Rubin, T. Murphy, M. S. Nanes, and X. Fan* C11126
- Expression of smooth muscle myosin light chain 17 and unloaded shortening in single smooth muscle cells  
*T. J. Eddinger, A. A. Korwek, D. P. Meer, and J. J. Sherwood* C11133
- Limited myogenic response to a single bout of weight-lifting exercise in old rats  
*T. Tamaki, S. Uchiyama, Y. Uchiyama, A. Akatsuka, S. Yoshimura, R. R. Roy, and V. R. Edgerton* C11143
- In vivo regulation of the  $\beta$ -myosin heavy chain gene in soleus muscle of suspended and weight-bearing rats  
*J. M. Giger, F. Haddad, A. X. Qin, and K. M. Baldwin* C11153
- Development and polarization of cationic amino acid transporters and regulators in the human placenta  
*P. T.-Y. Ayuk, C. P. Sibley, P. Donnai, S. D'Souza, and J. D. Glazier* C11162
- 150-kDa oxygen-regulated protein (ORP150) functions as a novel molecular chaperone in MDCK cells  
*Y. Bando, S. Ogawa, A. Yamauchi, K. Kuwabara, K. Ozawa, O. Hori, H. Yanagi, M. Tamatani, and M. Tohyama* C11172
- Separate entry pathways for phosphate and oxalate in rat brain microsomes  
*X.-J. Meng, R. T. Timmer, R. B. Gunn, and R. F. Abercrombie* C11183
- Bioactive products of arginine in sepsis: tissue and plasma composition after LPS and iNOS blockade  
*M. J. Lortie, S. Ishizuka, D. Schwartz, and R. C. Blantz* C11191
- An electrogenic  $\text{Na}^+\text{-HCO}_3^-$  cotransporter (NBC) with a novel COOH-terminus, cloned from rat brain  
*M. O. Bevensee, B. M. Schmitt, I. Choi, M. F. Romero, and W. F. Boron* C1200
- The cGMP-dependent protein kinase stimulates the basolateral 18-pS K channel of the rat CCD  
*W. H. Wang* C1212
- Extracellular  $\text{Cl}^-$  modulates shrinkage-induced activation of  $\text{Na}^+/\text{H}^+$  exchanger in rat mesangial cells  
*Y. Miyata, S. Muto, S. Yanagiba, and Y. Asano* C1218
- Polarity of A2b adenosine receptor expression determines characteristics of receptor desensitization  
*S. V. Sitaraman, M. Si-Tahar, D. Merlin, G. R. Strohmeier, and J. L. Madara* C1230
- Effects of altered tonicity by sodium chloride on L-tryptophan binding to hepatic nuclei  
*H. Sidransky, E. Verney, and J. Orenstein* C1237
- The human histamine  $\text{H}_2$  receptor regulates c-jun and c-fos in a differential manner  
*L. D. Wang, M. Wang, A. Tdusco, E. Grand, and J. Del Valle* C1246
- Role of multidrug resistance P-glycoprotein in the secretion of aldosterone by human adrenal NCI-H295 cells  
*E. Bello-Reuss, S. Ernest, O. B. Holland, and M. R. Hellmich* C1256

## SPECIAL COMMUNICATION

- Skeletal muscle gene transfer: regeneration-associated deregulation of fast troponin I fiber type specificity  
*P. L. Hallauer, G. Karpati, and K. E. M. Hastings* C1266



## LETTERS TO THE EDITOR

The mechanism of histamine secretion from gastric enterochromaffin-like cells  
H. L. Waldum, E. Brenna, and A. K. Sandvik; C. Prinz

C1275

## CORRIGENDA

Volume 277, September 1999

Volume 46, September 1999

Pages C501–C522: D. R. Halm and S. T. Halm. "Secretagogue response of goblet cells and columnar cells in human colonic crypts." This article is reproduced to show improved quality for Figs. 1, 2, 3, 4, 11, 12, 13, and 14. The corrected article appears at the end of the January 2000 issue (*Am. J. Physiol. Cell Physiol.* 278: C212–C233, 2000).

Volume 278, February 2000

Volume 47, February 2000

Pages C235–C256: J. H. Jaggar, V. A. Porter, W. J. Lederer, and M. T. Nelson. "Calcium sparks in smooth muscle." On page C241, the last part of the legend to Fig. 6 should read "[Reproduced from Perez et al. *The Journal of General Physiology*, 1999, vol. 113, p. 229–238, by copyright permission of The Rockefeller University Press (Ref. 153)]."

Volume 278, January 2000

Volume 47, January 2000

Pages C1–C10: T. E. DeCoursey. "Hypothesis: do voltage-gated  $H^+$  channels in alveolar epithelial cells contribute to  $CO_2$  elimination by the lung?" On page C6, left column, line 44, the correct value for  $D_{H,eff}$  should be  $\sim 0.5 \times 10^{-5} \text{ cm}^2/\text{s}$ .